



Note:

1. Full service kits include replaceable o-rings, glide rings, retaining rings, crush washers, crush washer retainers, lower leg bottom-out bumpers and shaft bolts/nuts. All air service kits include replacement schrader valve cores. Not all service parts are pictured. All basic service kits include the following replaceable wear items: o-rings, glide rings, dust seals, and foam rings.
2. Rebound damper and spring shaft kits include crush washers, crush washer retainers and shaft bolts, as well as upper tube retaining rings and rebound adjuster knob.
3. Damper side = rider's right. Spring side = rider's left.
4. All lower legs include bottom-out bumpers, bushings, foam rings and dust seals installed.
5. Refer to the RockShox Technical Manual (www.sram.com) for oil volumes, air pressure settings and torque values.
6. Charger damper fluid - use RockShox Rear Suspension Damping Fluid 3wt.
7. Charger lower leg lubricant - use RockShox Pike Suspension Oil, 0-W30.
8. Charger damper bleed - use Bleed fitting Charger Damper and RockShox Bleed Kit (Totem) Qty 1 - fill and bleed.



No.	Part Number	Description
1	11.4018.006.190	Lower Leg Pike 2615 Disc Black (decals not included) A1
1	11.4018.006.191	Lower Leg Pike 2615 Disc White (decals not included) A1
1	11.4018.006.192	Lower Leg Pike 2615 Disc Diffusion Black (decals not included) A1
1	11.4018.006.193	Lower Leg Pike 27.5/650B, Maxle 15 Disc Black (decals not included) A1
1	11.4018.006.194	Lower Leg Pike 27.5/650B, Maxle 15 Disc White (decals not included) A1
1	11.4018.006.195	Lower Leg Pike 27.5/650B, Maxle 15 Disc Diffusion Black (decals not included) A1
1	11.4018.006.196	Lower Leg Pike 2915 Disc Black (decals not included) A1
1	11.4018.006.197	Lower Leg Pike 2915 Disc White (decals not included) A1
1	11.4018.006.198	Lower Leg Pike 2915 Disc Diffusion Black (decals not included) A1
2	11.4015.534.010	Hydraulic Hose Clamp, Lower Leg - PIKE/XC30/30Gold
3	11.4018.008.308	CSU Pike Solo Air 26 Aluminum Taper Black A1
3	11.4018.008.309	CSU Pike Solo Air 26 Aluminum Taper White A1
3	11.4018.008.310	CSU Pike Solo Air 26 Aluminum Taper Diffusion Black A1
3	11.4018.008.311	CSU Pike Dual Position Air 26 Aluminum Taper Black A1
3	11.4018.008.312	CSU Pike Dual Position Air 26 Aluminum Taper White A1
3	11.4018.008.313	CSU Pike Dual Position Air 26 Aluminum Taper Diffusion Black A1
3	11.4018.008.314	CSU Pike Solo Air 27.5 Aluminum Taper Black A1
3	11.4018.008.315	CSU Pike Solo Air 27.5 Aluminum Taper White A1
3	11.4018.008.316	CSU Pike Solo Air 27.5 Aluminum Taper Diffusion Black A1
3	11.4018.008.317	CSU Pike Dual Position Air 27.5 Aluminum Taper Black A1
3	11.4018.008.318	CSU Pike Dual Position Air 27.5 Aluminum Taper White A1
3	11.4018.008.319	CSU Pike Dual Position Air 27.5 Aluminum Taper Diffusion Black A1
3	11.4018.008.320	CSU Pike Solo Air 29 46 Off-Set Aluminum Taper Black A1
3	11.4018.008.321	CSU Pike Solo Air 29 46 Off-Set Aluminum Taper White A1
3	11.4018.008.322	CSU Pike Solo Air 29 46 Off-Set Aluminum Taper Diffusion Black A1
3	11.4018.008.323	CSU Pike Dual Position Air 29 46 Off-Set Aluminum Taper Black A1
3	11.4018.008.324	CSU Pike Dual Position Air 29 46 Off-Set Aluminum Taper White A1
3	11.4018.008.325	CSU Pike Dual Position Air 29 46 Off-Set Aluminum Taper Diffusion Black A1
3	11.4018.008.326	CSU Pike Solo Air 29 51 Off-Set Aluminum Taper Black A1
3	11.4018.008.327	CSU Pike Solo Air 29 51 Off-Set Aluminum Taper White A1
3	11.4018.008.328	CSU Pike Solo Air 29 51 Off-Set Aluminum Taper Diffusion Black A1
3	11.4018.008.329	CSU Pike Dual Position Air 29 51 Off-Set Aluminum Taper Black A1
3	11.4018.008.330	CSU Pike Dual Position Air 29 51 Off-Set Aluminum Taper White A1
3	11.4018.008.331	CSU Pike Dual Position Air 29 51 Off-Set Aluminum Taper Diffusion Black A1
4	11.4018.028.002	Dust Seal/Foam Ring Black 35mm Seal, 6mm Foam Ring - PIKE A1
5	11.4015.403.040	Shaft Fastener Kit PIKE (Includes shaft bolts and crush washers) A1
6	11.4015.404.020	Rebound Adjuster Knob/Bolt Kit - PIKE A1
7a	11.4015.547.080	Knob Kit, Compression Damper, RC - PIKE A1
7b	11.4015.547.090	Knob Kit, Compression Damper, RCT3 - PIKE A1
8a	11.4015.544.310	Compression Damper, Motion Control DNA, Crown Adjust - PIKE RC (includes compression knobs) A1
8b	11.4015.544.320	Compression Damper, Motion Control DNA, Crown Adjust - PIKE RCT3 (includes compression knobs) A1
9a	11.4018.030.000	Compression Piston Assembly - Pike RCT3 A1
9b	11.4018.030.001	Compression Piston Assembly - Pike RC A1
10a	11.4018.009.026	Damper Internals Right Charger PIKE RC 26 Crown Adjust A1
10a	11.4018.009.027	Damper Internals Right Charger PIKE RC 27.5 Crown Adjust A1
10a	11.4018.009.028	Damper Internals Right Charger PIKE RC 29 Crown Adjust A1
10b	11.4018.009.029	Damper Internals Right Charger PIKE RCT3 26 Crown Adjust A1
10b	11.4018.009.030	Damper Internals Right Charger PIKE RCT3 27.5 Crown Adjust A1
10b	11.4018.009.031	Damper Internals Right Charger PIKE RCT3 29 Crown Adjust A1
11a	11.4018.025.004	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 26 A1
11a	11.4018.025.005	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 27.5 A1
11a	11.4018.025.006	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RC 29 A1
11b	11.4018.025.007	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT3 26 A1
11b	11.4018.025.008	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT3 27.5 A1
11b	11.4018.025.009	Rebound Damper and Seal Head Assembly/Shaft Bolt- PIKE RCT3 29 A1
12	11.4015.353.030	Seal Head Assembly (Rebound Damper, Charger) 35mm - PIKE A1
13	11.4018.031.000	Charger Bladder Assembly - Pike A1
14	11.4018.012.004	Air Top Cap, Solo Air 35mm PIKE A1
15	11.4018.010.106	Spring Internals Left Solo Air PIKE 26-150 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.107	Spring Internals Left Solo Air PIKE 26-160, 27.5-150 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.108	Spring Internals Left Solo Air PIKE 27.5-160 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.109	Spring Internals Left Solo Air PIKE 29-120 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.110	Spring Internals Left Solo Air PIKE 29-140 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.111	Spring Internals Left Solo Air PIKE 29-150 (includes air top cap, solo air spring and shaft bolt) A1
15	11.4018.010.112	Spring Internals Left Solo Air PIKE 29-160 (includes air top cap, solo air spring and shaft bolt) A1
16	11.4018.010.113	Spring Internals Left Dual Position Air PIKE 26-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt) A1
16	11.4018.010.114	Spring Internals Left Dual Position Air PIKE 26-160, 27.5-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt) A1
16	11.4018.010.115	Spring Internals Left Dual Position Air PIKE 27.5-160 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt) A1
16	11.4018.010.116	Spring Internals Left Dual Position Air PIKE 29-150 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt) A1
16	11.4018.010.117	Spring Internals Left Dual Position Air PIKE 29-160 (includes air top cap, adjuster knob, Dual Spring Assembly and shaft bolt) A1
17	11.4018.026.000	Air Shaft PIKE Solo Air 160mm travel 26"/150mm travel 27.5" (can be used to change travel to 160mm on 26"/150mm on 27.5") A1
17	11.4018.026.001	Air Shaft PIKE Solo Air 160mm travel 27.5"/140mm travel 29" (can be used to change travel to 160mm on 27.5"/140mm on 29") A1
17	11.4018.026.002	Air Shaft PIKE Solo Air 160mm travel 29" (can be used to change travel to 160mm on 29") A1
17	11.4018.026.003	Air Shaft PIKE Solo Air 150mm travel 26"/120mm travel 29" (can be used to change travel to 150mm on 26"/120mm on 29") A1
17	11.4018.026.004	Air Shaft PIKE Solo Air 150mm travel 29" (can be used to change travel to 150mm on 29") A1
18	11.4018.026.005	Air Shaft PIKE Dual Position Air 160mm travel 26"/150mm travel 27.5" (can be used to change travel to 160mm on 26"/150mm on 27.5") A1
18	11.4018.026.006	Air Shaft PIKE Dual Position Air 160mm travel 27.5" (can be used to change travel to 160mm on 27.5") A1
18	11.4018.026.007	Air Shaft PIKE Dual Position Air 160mm travel 29" (can be used to change travel to 160mm on 29") A1
18	11.4018.026.008	Air Shaft PIKE Dual Position Air 150mm travel 26" (can be used to change travel to 150mm on 26") A1
18	11.4018.026.009	Air Shaft PIKE Dual Position Air 150mm travel 29" (can be used to change travel to 150mm on 29") A1
19	11.4018.032.000	Bottomless Tokens Qty 3 PIKE A1
20	11.4018.027.000	Service Kit Full - PIKE Solo Air (includes solo air and damper seals and hardware) A1
21	11.4018.027.001	Service Kit Full - PIKE Dual Position Air (includes dual position air and damper seals and hardware) A1
22	00.4315.032.350	AM Fork Service Kit, Basic (includes dust seals, foam rings, o-ring seals) - Pike Solo Air A1
23	00.4315.032.360	AM Fork Service Kit, Basic (includes dust seals, foam rings, o-ring seals) - Pike Dual Position Air A1



No.	Part Number	Description
24	11.4015.552.011	Adjuster Knob Aluminum, Dual Position Air - (Dual Wing Adjuster Knob) Revelation New A1-A3/PIKE A1
25a	11.4018.037.000	Seal head Assembly Solo Air - PIKE A1
25b	11.4015.505.020	Dual Position Air - Sealhead Assembly - PIKE A1
26	00.4318.005.001	Maxle Lite 15mm Black (compatible with all RockShox 15mm TA) B1
27	11.4318.004.000	Maxle Lite Lever Assembly B1
28	11.4308.327.002	Schrader Valve Core Qty 2
bulk	11.4015.259.000	Crush Washer 8mm, Qty 50
bulk	11.4015.260.000	Crush Washer Retainer, Qty 50
bulk	11.4018.028.004	Dust Seal 35mm Black - PIKE Qty 20
bulk	11.4018.028.005	Foam Ring 35mm x 6mm - PIKE A1 Qty 20
bulk	11.4018.032.001	Bottomless Tokens Qty 10 PIKE A1
ns	11.4318.003.317	Decal Kit PIKE 26 Silver/White Lower Leg A1
ns	11.4318.003.318	Decal Kit PIKE 26 Silver/Black Lower Leg A1
ns	11.4318.003.319	Decal Kit PIKE 26 Silver/Diffusion Black Lower Leg A1
ns	11.4318.003.320	Decal Kit PIKE 27.5 Silver/White Lower Leg A1
ns	11.4318.003.321	Decal Kit PIKE 27.5 Silver/Black Lower Leg A1
ns	11.4318.003.322	Decal Kit PIKE 27.5 Silver/Diffusion Black Lower Leg A1
ns	11.4318.003.323	Decal Kit PIKE 29 Silver/White Lower Leg A1
ns	11.4318.003.324	Decal Kit PIKE 29 Silver/Black Lower Leg A1
ns	11.4318.003.325	Decal Kit PIKE 29 Silver/Diffusion Black Lower Leg A1
ns	11.4309.073.000	Kit Disk Brake Cable Accessory
ns	00.4315.023.010	High-Pressure Fork/Shock Pump (300 psi Max) RockShox
ns	00.4315.022.010	Schrader Valve Removal Tool Rockshox
ns	11.4315.021.080	RockShox Pike Suspension Oil, 0W-30, 120ml Bottle
ns	11.4015.354.050	RockShox Pike Suspension Oil, 0W-30, 1 Liter Bottle
ns	11.4315.021.050	RockShox Rear Suspension Damping Fluid 3wt 120ml bottle
ns	11.4315.004.020	RockShox Rear Suspension Damping Fluid 3wt 16oz bottle
29	11.4318.010.000	Bleed fitting Charger Damper (fits basic Rockshox Bleed Kit, 3mm ID)
ns	11.4315.011.010	ROCKSHOX Bleed Kit (Totem) Qty 1