


22



COMPLETE BIKESPREVIEW



WE MAKE THINGS GmbH, all rights reserved © 2020

radiobikes.com

Welcome to the MY2022 complete bikes range

For 2022, the Radio Raceline complete bike continues with the incredible line we dropped last year, which had been totally reworked, revamped, and redesigned from the ground up. Following input from our team riders, distributions, stores, and the design team here in Cologne, Germany, we've been through every single component on our bikes to ensure that these are unquestionably the very best race complete bikes out there on the market. You will find the highest quality frames across the entire line, featuring our own forged dropouts with chain tensioners, hydroformed tubing, and along with exciting and vivid graphics and colourways.


We are looking forward to yet another highly successful race season with **RADIO RACELINE** this year. Please take your time and go through what is undoubtedly the finest collection of race bikes to date!



П

П









XENON**MINI**

UVP 699.- WE2201C



17.6" 20" x 1-1/8

XENON**MINI**

black / silver

FRAME hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts

FORK crmo fork, 1" butted steerer, crmo fork legs, 23mm offset

BARS 6061-T6 alloy bar

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 115mm length

STEM RADIO RACELINE "COBALT" toploader stem, ext. 40mm, alloy

HEADSET RADIO RACELINE integrated headset, sealed, 1"

LEVER PROMAX "XL-378" brake lever, rear

BRAKES PROMAX "MV-85" brake, rear

CRANKS RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc machined, 140mm length

BB RADIO RACELINE bb set, BSA square taper, sealed

PEDALS RADIO RACELINE "XENON JUNIOR" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE sprocket, 38T, alloy

DRIVER RADIO RACELINE driver, 16T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle

RIMS RADIO RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy

SEAT RADIO RACELINE "MINI" combo seat

SEAT POST RADIO RACELINE seat post, 22.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES TIOGA "POWER-BLOCK" tires, 20" x 1-1/8"

WEIGHT 7.55kg / 16.64lbs





TOP TUBE LENGTH 17.6" HEAD TUBE ANGLE 73° BAR RISE 2.25" BACKSWEEP 8°

CHAIN STAY LENGTH 13" SEAT TUBE ANGLE 70° BAR WIDTH 22.5" UPSWEEP 2°

BOTTOM BRACKET HEIGHT 10.6"



XENONJUNIOR

UVP 739.- WE2201D



18.6" 20" × 1-1/8

XENONJUNIOR

black / silver

FRAME hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts

FORK crmo fork, 1" butted steerer, crmo fork legs, 23mm offset

BARS 6061-T6 alloy bar

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 115mm length

STEM RADIO RACELINE "COBALT" toploader stem, ext. 40mm, alloy

HEADSET RADIO RACELINE integrated headset, sealed, 1"

LEVER PROMAX "XL-378" brake lever, rear

BRAKES PROMAX "MV-85" brake, rear

CRANKS RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc machined, 155mm length

BB RADIO RACELINE bb set, BSA square taper, sealed

PEDALS RADIO RACELINE "XENON JUNIOR" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE sprocket, 40T, alloy

DRIVER RADIO RACELINE driver, 16T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle

RIMS RADIO RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy

SEAT RADIO RACELINE "MINI" combo seat

SEAT POST RADIO RACELINE seat post, 22.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES TIOGA "POWER-BLOCK" tires, 20" x 1-1/8"

WEIGHT 7.78kg / 17.16lbs





TOP TUBE LENGTH 18.6" HEAD TUBE ANGLE 73.5° BAR RISE 4.25" BACKSWEEP 8
CHAIN STAY LENGTH 13.4" SEAT TUBE ANGLE 71° BAR WIDTH 24" UPSWEEP 2

BOTTOM BRACKET HEIGHT 10.6"



XENONEXPERT

UVP 749.- WE220



19.5"

XENON**EXPERT** •

black / silver

FRAME hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts, with int. chaintensioners

FORK crmo fork, 1-1/8" butted steerer, crmo fork legs, 23mm offset

BARS 6061-T6 alloy bar

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 132mm length

STEM RADIO RACELINE "COBALT" toploader stem, ext. 50mm, alloy

HEADSET FSA "No.28" integrated headset, sealed, 1-1/8"

LEVER PROMAX "XL-378" brake lever, rear

BRAKES PROMAX "MV-85" brake, rear

CRANKS RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc machined, 165mm length

BB RADIO RACELINE bb set, BSA square taper, sealed

PEDALS RADIO RACELINE "XENON SLIM" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE sprocket, 42T, alloy

DRIVER RADIO RACELINE driver, 16T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 28T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle

RADIO RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy

SEAT RADIO RACELINE "XENON" pivotal seat, no padding

SEAT POST RADIO RACELINE pivotal seat post, 22.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES TIOGA "POWER-BLOCK" tires, 20" x 1-3/8"

WEIGHT 8.19kg / 18.06lbs





TOP TUBE LENGTH 19.5" HEAD TUBE ANGLE 73.5° BAR RISE 5.75" BACKSWEEP 8° CHAIN STAY LENGTH 13.6" SEAT TUBE ANGLE 71° BAR WIDTH 24.4" UPSWEEP 2°

BOTTOM BRACKET HEIGHT 10.8"



XENON**PRO** UVP 899.-WE2201F R: 20" × 1.6" 23010 1 20 x 1.75 20.75" F: 20" x 1.75" - R

XENON**PRO**



FRAME hydroformed 6061-T6 alloy frame, tapered headtube, forged & disc brake mount ready dropouts, with int. chaintensioners

FORK crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset

BARS 4130 crmo bar, seamless

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length

STEM RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy

HEADSET RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter

LEVER PROMAX "XL-373" brake lever, rear

BRAKES PROMAX "TX-131" brake, rear

CRANKS RADIO RACELINE, Xenon Pro, 2pc crank, cold forged/cnc, alloy,175mm length, 24mm spindle

BB RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed

PEDALS RADIO RACELINE "XENON SLIM" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE "XENON PRO" sprocket, 43T, alloy

DRIVER RADIO RACELINE driver, 16T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 32T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 32T, disc brake cassette, 3/8" crmo axle

RADIO RACELINE "ARGON PRO" rim, sleeved joint, 32H, alloy

SEAT RADIO RACELINE "XENON" pivotal seat, no padding

SEAT POST RADIO RACELINE pivotal seat post, 27.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES RADIO RACELINE "OXYGEN" tires, front: 20" x 1.75" and rear: 20" x 1.6"

WEIGHT tba





TOP TUBE LENGTH 20.75" **HEAD TUBE ANGLE** 74° BAR RISE 7.5" **BACKSWEEP** 11° 3.5° **CHAIN STAY LENGTH** 14.25" **SEAT TUBE ANGLE** 71° **BAR WIDTH** 28" **UPSWEEP**

BOTTOM BRACKET HEIGHT 11.6"







XENON**PRO XL**

black / white

FRAME hydroformed 6061-T6 alloy frame, tapered headtube, forged & disc brake mount ready dropouts, with int. chaintensioners

FORK crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset

BARS 4130 crmo bar, seamless

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length

STEM RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy

HEADSET RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter

LEVER PROMAX "XL-373" brake lever, rear

BRAKES PROMAX "TX-131" brake, rear

CRANKS RADIO RACELINE, Xenon Pro, 2pc crank, cold forged/cnc, alloy,180mm length, 24mm spindle

BB RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed

PEDALS RADIO RACELINE "XENON SLIM" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE "XENON PRO" sprocket, 44T, alloy

DRIVER RADIO RACELINE driver, 16T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 36T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 36T, disc brake cassette, 3/8" crmo axle

RIMS RADIO RACELINE "ARGON PRO" rim, sleeved joint, 36H, alloy

SEAT RADIO RACELINE "XENON" pivotal seat, no padding

SEAT POST RADIO RACELINE pivotal seat post, 27.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES RADIO RACELINE "OXYGEN" tires, front: 20" x 1.75" and rear: 20" x 1.6"

WEIGHT tba






TOP TUBE LENGTH	21.25"	HEAD TUBE ANGLE	74°	BAR RISE	8.1"	BACKSWEEP	11°
CHAIN STAY LENGTH	14.8"	SEAT TUBE ANGLE	71°	BAR WIDTH	28.25"	UPSWEEP	3.5°



HELIUMCRUISER

UVP 899.-





HELIUM**CRUISER**

black / gold

FRAME hydroformed 6061-T6 alloy frame, tapered headtube, forged dropouts, with int. chaintensioners

FORK crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset

BARS 4130 crmo bar, seamless

GRIPS RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length

STEM RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy

HEADSET RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter

LEVER PROMAX "XL-373" brake lever, rear

BRAKES PROMAX "TX-131" brake, rear

CRANKS RADIO RACELINE, Xenon Pro, 2pc crank, cold forged/cnc, alloy,180mm length, 24mm spindle

BB RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed

PEDALS RADIO RACELINE "XENON SLIM" pedal, alloy

CHAIN KMC "Z6" chain, 1/2" x 3/32"

SPROCKET RADIO RACELINE "XENON PRO" sprocket, 41T, alloy

DRIVER RADIO RACELINE driver, 18T, 1/2" - 3/32", sealed cassette

FRONT HUB RADIO RACELINE "XENON" front hub, alloy cnc, fully sealed, 36T, 3/8" crmo axle

REAR HUB RADIO RACELINE "XENON" rear hub, alloy cnc, fully sealed, 36T, disc brake cassette, 3/8" crmo axle

RIMS RADIO RACELINE "ARGON PRO" rim, sleeved joint, 36H, alloy

SEAT RADIO RACELINE "XENON" pivotal seat, no padding

SEAT POST RADIO RACELINE pivotal seat post, 27.2mm, alloy

SEAT CLAMP RADIO RACELINE "XENON" seat post, quick-release, alloy

TIRES TIOGA "POWER-BLOCK" tires, front: 24" x 1.75" and rear: 24" x 1.6"

WEIGHT 10.24kg / 22.79lbs





TOP TUBE LENGTH 22" HEAD TUBE ANGLE 74° BAR RISE 6.1" BACKSWEEP 8
CHAIN STAY LENGTH 15.15" SEAT TUBE ANGLE 71° BAR WIDTH 26.75" UPSWEEP 2'

BOTTOM BRACKET HEIGHT 12"





RADIO RACELINE Richard-Byrd-Str. 12 50829 Cologne / Germany mail@radiobikes.com

© WE MAKE THINGS GmbH, all rights reserved.

